

## CCS

### Contact Cleaning Strips

#### DESCRIPTION

**CCS** are cleaning strips made from specially developed card, impregnated with a high performance contact Lubricant. They offer an extremely easy and effective method of returning switches to full working order after they have become worn or contaminated. They can also be used on new switches to extend their lifetime.

READ ENTIRE TECHNICAL BULLETIN BEFORE USING THIS PRODUCT

#### FEATURES AND BENEFITS

- Specially selected card with the correct degree of surface abrasion; cleans and lubricates in one step
- Reduces contact resistance; increases reliability of contacts
- Applies a very thin layer of lubricant; reduces mechanical wear and contact erosion
- Economical in use; 20 strips are sufficient to clean and lubricate approximately 200 contact pairs

#### APPROVALS

Standard	Status
RoHS Compliant (2015/863/EU)	Yes
NATO Stock No (CCS020)	6850-99-643-4649

#### PRODUCT INFORMATION

For available packaging sizes please visit:

[electrolube.com](http://electrolube.com)

### APPLICATION GUIDELINES

A clean part of the strip is inserted between closed contacts and moved back and forth several times. The abrasive quality of the card and the loosening property of the contact lubricant will remove contamination which will appear as a dark mark on the strip. Tear off part of the strip that has been used and insert a clean area between the next contact pair.

CCS can be used for initial cleaning of normal arcing contacts and should be followed with a further application of our Contact Lubricant to protect the contacts from arc erosion.

### TYPICAL PRODUCT APPLICATION

CCS have been designed to clean, lubricate and protect small relay, non-wiping contacts, edge connectors and other small contacts operating in low voltage, low current circuits in telecommunications, electronic and electrical circuitry. They also clean, lubricate and protect other areas where only a very thin film of contact treatment is required and have not been subjected to heavy wear.

### ADDITIONAL INFORMATION

**Shelf Life:** Contact Cleaning Strips – 48 Months

### SAFETY & WARNING

It is recommended that the company/operator read and review the Safety Data Sheets for the appropriate health and safety warnings before use. **Safety Data Sheets are available.**

### CONTACT INFORMATION

To confirm this document is the most recent version, please contact

**TechnicalSupportTeam@hkw.co.uk**

[www.electrolube.com](http://www.electrolube.com)

<b>North America</b> 109 Corporate Blvd. South Plainfield, NJ 07080, USA 1.800.367.5460	<b>Europe</b> Ashby Park Coalfield Way Ashby de la Zouch Leicestershire, LE65 1JR, UK 44.01530.41960	<b>Asia</b> 8/F., Paul Y. Centre 51 Hung To Road Kwun Tong, Kowloon, Hong Kong 852.3190.3100
--	---	--

Also read carefully warning and safety information on the Safety Data Sheet. This data sheet contains technical information required for safe and economical operation of this product. READ IT THOROUGHLY PRIOR TO PRODUCT USE . Emergency safety directory assistance: US 1 202 464 2554, Europe + 44 1235 239 670, Asia + 65 3158 1074, Brazil 0800 707 7022 and 0800 172 020, Mexico 01800 002 1400 and (55) 5559 1588

DISCLAIMER: All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed. No statement or recommendation shall constitute a representation unless set forth in an agreement signed by officers of seller and manufacturer. NO WARRANTY OF MERCHANTABILITY, WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY IS MADE. The following warranty is made in lieu of such warranties and all other warranties, express, implied, or statutory. Products are warranted to be free from defects in material and workmanship at the time sold. The sole obligation of seller and manufacturer under this warranty shall be to replace any noncompliant product at the time sold. Under no circumstances shall manufacturer or seller be liable for any loss, damage or expense, direct, indirect, incidental or consequential, arising out of the inability to use the product. Notwithstanding the foregoing, if products are supplied in response to a customer request that specifies operating parameters beyond those stated above, or if products are used under conditions exceeding said parameters, the customer by acceptance or use thereof assumes all risk of product failure and of all direct, indirect, incidental and consequential damages that may result from use of the products under such conditions, and agrees to exonerate, indemnify, defend and hold harmless MacDermid, Incorporated and its affiliates therefrom. No suggestion for product use nor anything contained herein shall be construed as a recommendation to use any product in a manner that infringes any patent or other intellectual property rights, and seller and manufacturer assume no responsibility or liability for any such infringement.

© 2019 MacDermid, Inc. and its group of companies. All rights reserved. "(R)" and "TM" are registered trademarks or trademarks of MacDermid, Inc. and its group of companies in the United States and/or other countries.